

MAJOR PRODUCTS FOR REGULAR ACQUISITION

A. AGRICULTURAL SECTION

1. WHITE TABLE EGGS

Composition

Per Egg	Protein	Fat	Moisture	Ca.	P	Vit. A	Thiamin	Vit. B6	Vit. E	Vit. D
100 ml	12.33 gm	9.95 gm	75.81 gm	62 mg	193 mg	570 iu	0.067 mg	0.188 mg	0.72 mg	105 iu

General Description: White Table Eggs

Appearance: Glossy White

Shelf Life: 3 months from production @ 4–7°C and 75–80% humidity

Feed Composition: As per the Saudi Ministry of Agriculture

Packing

Size	Weight (gm)	Qty/Carton	Gross Weight (kg)
Small	40–50	360	19.4
Medium	50–60	360	23
Large	60–70	360	26.6
XLarge	70–80	360	30

2. FERTILE HATCHING EGGS

Breed	ROSS 308
Age of Flock	31-42
Egg Weight	58-63
Fertility (Min)	90%
Hatchability	85%
Breakage (Min)	1%
Max age on packing date	3 days
Egg Quality	Clean but unwashed
Disease Status	Free from any infectious diseases

B. INDUSTRIAL SECTION

1. EXPANDABLE POLYSTYRENE RAW MATERIALS (NON-FR)

Bead Size (mm)	Density Range (Kg/m ³)	Application
0.4–0.8	18–35	Block Insert
0.6–1.1	17–30	Veg. & Fish boxes
1.2–2.5	15–20	Block for cutting
0.9–1.4	16–25	Block for cutting

2. EXPANDABLE POLYSTYRENE RAW MATERIALS (FR)

Bead Size (mm)	Density Range (Kg/m ³)	Application
0.4–0.8	18–35	Block Insert, EcoBoard, Block
0.6–1.1	17–30	Block Insert, EcoBoard, Block
1.2–2.5	15–20	Block Insert, EcoBoard, Block
0.9–1.4	16–25	Block Insert, EcoBoard, Block

2. PREPAINTED/MILL FINISHED STEEL COIL

Thickness: 0.3,0.4,0.5,0.6

Item Description	Specification	Zince Coat	Top Coat (HDPE)	Back Coat (Epoxy Primer)	Color	Width (mm)
Pre-painted Galvanized	ASTM A755M/Equivalent	G30 - G90	5+15	5+5	Frost White RAL 9003	1.219 or 1.085

Thickness: 0.3,0.4,0.5,0.6

Item Description	Specification	Zinc Coat	Top Coat (HDPE)	Back Coat (Epoxy Primer)	Color	Width (mm)
Pre-painted ZincAlum GRADE 340 Class 2	ASTM A 792 SS340/Equivalent	AZM150	5+15	5+5	Frost White RAL 9003	1.219

Thickness: 0.3,0.4,0.5,0.6

Item Description	Specification	Alloy-Temper	Top Coat (HDPE)	Back Coat (Epoxy Primer)	Color	Width (mm)
Pre-painted Alum	ASTM B209/Equivalent	3105 - H16	5+20	5+5	Frost White RAL 9003	1.219